

Industrial Plants

Hose Reel

Year 2025
Technical Sheet
generaldaspirazione.com





Deep Hygiene



Silent



Safe



Eco Friendly



Practical



Versatile

Industrial Plants. Hose Reel.

Ideal for outdoor installations in production environments

The hose reel improves operational efficiency and maintains cleanliness in the workspace. It connects directly to the external piping of the plant.

Practical and convenient solution that reduces cleaning time by being installed near strategic areas, it is always ready for use.

Easy to operate and to reach: the operator simply pulls the hose to use it; a spring-loaded lever it locks at the desired length the hose, switching on the unit. Upon release, the hose automatically retracts, switching off the unit.

The flexible hose is conductive to prevent the accumulation of electrostatic charges.

Standard hose diameter: Ø 38mm; also available in Ø 32mm.

The Hose Reel is available in three different versions: wall-mounted, ceiling-mounted or with the addition of a 1, 2 or 3 meter arm to further increases its working area.

Technical information.

Technical data		Hose Reel
Height	mm	650
Width	mm	800
Depth	mm	240
Weight	kg	14

Painted finish: RAL 9022

Connection: To the centralized system piping via Ø 50 mm connection

Flexible hose: Ø 38 - 8,5m Length

Mounting: The hose reel can be supplied in three mounting configurations:
Wall-mounted installation;
Wall-mounted installation with an optional 1 m, 2 m, or 3 m extension arm to increase the working area;
Ceiling-mounted installation.

Industrial Plants. Hose Reel.

1- Retractable conductive hose: The hose automatically returns to its start position after pull and release.

2- Hose stop: Allows easy adjustment of the hose's extraction length.


3- Arm: Connects the hose to the vacuum switching-off valve.

4- Micro-switch: Pulling the hose activates the suction.

5- Switching-off vacuum valve: It is opened and closed by the micro-switch impulse.

6- Swivel bracket: Provides 180° mobility to extend the operating radius

7- Hinge and locking hook: Simplifies installation.



OLK



General D'Aspirazione s.a.s.

generaldaspirazione.com
+ 39 0541 931012

Del Lavoro street, 9/11 - San Mauro Pascoli - 47030 (FC) Italy